

Materials List for

Closed-Loop Neurostimulation for Biomarker-Driven, Personalized Treatment of Major Depressive Disorder

Kristin K. Sellers^{1,2}, Ankit N. Khambhati^{1,2}, Noah Stapper^{2,3}, Joline M. Fan^{2,4}, Vikram R. Rao^{2,4}, Katherine W. Scangos^{2,3}, Edward F. Chang^{1,2}, Andrew D. Krystal^{2,3}

¹Department of Neurological Surgery, University of California, San Francisco ²Weill Institute for Neurosciences, University of California, San Francisco

³Department of Psychiatry and Behavioral Sciences, University of California, San Francisco ⁴Department of Neurology, University of California, San Francisco

Corresponding Author

Kristin K. Sellers
Kristin.Sellers@ucsf.edu

Citation

Sellers, K.K., Khambhati, A.N., Stapper, N., Fan, J.M., Rao, V.R., Scangos, K.W., Chang, E.F., Krystal, A.D. Closed-Loop Neurostimulation for Biomarker-Driven, Personalized Treatment of Major Depressive Disorder. *J. Vis. Exp.* (197), e65177, doi:10.3791/65177 (2023).

Date Published

July 7, 2023

DOI

10.3791/65177

URL

jove.com/video/65177

Materials

Name	Company	Catalog Number	Comments
Depth Lead	Neuropace	DL-330-3.5	30 cm length, 3.5 mm contact spacing
Depth Lead	Neuropace	DL-330-10	30 cm length, 10 mm contact spacing
Depth Lead	Neuropace	DL-344-3.5	44 cm length, 3.5 mm contact spacing
Depth Lead	Neuropace	DL-344-10	44 cm length, 10 mm contact spacing
Hat with velcro	Self-assembled	NA	Optional
Jupyter Notebook	Project Jupyter	NA	
Magnet	Neuropace	M-01	
Programmer	Neuropace	PGM-300	Clinician tablet
Python 3.10	Python	NA	
Remote Monitor	Neuropace	5000	Patient laptop
Responsive Neurostimulation System (RNS)	Neuropace	RNS-320	
Wand	Neuropace	W-02	