

Materials List for:

Mouse Model of Middle Cerebral Artery Occlusion

Terrance Chiang¹, Robert O. Messing¹, Wen-Hai Chou^{1,2}

¹Department of Neurology, Ernest Gallo Clinic and Research Center, University of California, San Francisco

²Department of Biological Sciences, Kent State University

Correspondence to: Wen-Hai Chou at wchou2@kent.edu

URL: <https://www.jove.com/video/2761>

DOI: [doi:10.3791/2761](https://doi.org/10.3791/2761)

Materials

Name	Type	Company	Catalog Number	Comments
Isoflurane	Chemical	Baxter Internationl Inc.	95045-588	
V-10 Anesthesia system	Equipment	VetEquip	901807	
TR-200 Temp Controller	Equipment	Fine Science Tools	21060	
Electric clipper	Equipment	Braintree Scientific, Inc.	CLP-9931	
Dissecting microscope	Equipment	Nikon Instruments	SMZ745T	
Retractor system	Equipment	Braintree Scientific, Inc.	ACD-014	
Bipolar coagulator	Equipment	Howard Instrument	64000	
Silk suture	Material	Harvard Apparatus	510479	
Monofilament suture	Material	Harvard Apparatus	723351	
Vascular clamp	Equipment	Fine Science Tools	00396-01	
Vannas scissor	Equipment	Fine Science Tools	15000-08	
Brain matrix	Equipment	Braintree Scientific, Inc.	BS-2000C	
2,3,5-triphenyltetrazolium chloride	Chemical	Sigma-Aldrich	T8877	
10% neutral buffer formalin	Chemical	Sigma-Aldrich	HT5011	