

Materials List for

Evaluation of Color Difference in Placenta with Twin Anemia Polycythemia Sequence

Depeng Zhao¹, Lisanne S.A. Tollenaar², Femke Slaghekke², Dick Oepkes², Tao Duan³, Enrico Lopriore⁴

¹Department of Reproductive Medicine, Affiliated Shenzhen Maternity and Child Healthcare Hospital, Southern Medical University ²Division of Fetal Medicine, Department of Obstetrics, Leiden University Medical Center ³Fetal Medicine Unit & Prenatal Diagnosis Center, Department of Obstetrics, Shanghai First Maternity and Infant Hospital, Tongji University School of Medicine ⁴Division of Neonatology, Department of Pediatrics, Leiden University Medical Center

Corresponding Authors

Tao Duan
tduan@yahoo.com

Enrico Lopriore
e.lopriore@lumc.nl

Citation

Zhao, D., Tollenaar, L.S., Slaghekke, F., Oepkes, D., Duan, T., Lopriore, E. Evaluation of Color Difference in Placenta with Twin Anemia Polycythemia Sequence. *J. Vis. Exp.* (), e61312, doi:10.3791/61312 (2020).

Date Published

June 17, 2020

DOI

10.3791/61312

URL

jove.com/video/61312

Materials

Name	Company	Catalog Number	Comments
20 ml syringes	BD Plastipak	300613	
Color dye	Royal Talens Schoolverf	36716010 (blue); 36715010 (green); 36712350 (yellow); 36713570 (pink)	
Digital camera	Canon Inc.	ixus 125 hs	
ImageJ	National Institute of Health	For Windows ImageJ bundled with 64-bit Java 1.8.0_112	
Umbilical catheters	Vygon	1270.08 (8 F) 1270.08 (5 F) 1270.04 (4 F) 1270.03 (3.5 F) 1270.02 (2.5 F)	