

Materials List for

# Motor Dual-Tasks for Gait Analysis and Evaluation in Post-Stroke Patients

Haining Ou<sup>\*1,2,3,4</sup>, Shijuan Lang<sup>\*1,2,3</sup>, Yuxin Zheng<sup>1,2,3</sup>, Dongqing Huang<sup>2</sup>, Sheng Gao<sup>1</sup>, Meifeng Zheng<sup>1,2</sup>, Biyi Zhao<sup>2</sup>, Zulipiya Yiming<sup>2</sup>, Yaxian Qiu<sup>1,2</sup>, Qiang Lin<sup>\*1,2,3,4</sup>, Junjie Liang<sup>\*1,2,3</sup>

<sup>1</sup>Department of Rehabilitation Medicine, The Fifth Affiliated Hospital of Guangzhou Medical University

<sup>2</sup>Department of Rehabilitation Medicine, Guangzhou Medical University

<sup>3</sup>Rehabilitation Medicine Lab, Guangzhou Medical University

<sup>4</sup>Guangzhou Key Laboratory of Enhanced Recovery after Abdominal Surgery, The Fifth Affiliated Hospital of Guangzhou Medical University

\* These authors contributed equally

Correspondence to: Qiang Lin at [qianglin0925@gzhmu.edu.cn](mailto:qianglin0925@gzhmu.edu.cn), Junjie Liang at [ljj88961@gzhmu.edu.cn](mailto:ljj88961@gzhmu.edu.cn)

URL: <https://www.jove.com/video/62302>

DOI: [doi:10.3791/62302](https://doi.org/10.3791/62302)

## Materials

Name	Company	Catalog Number	Comments
BTS Smart DX system	Bioengineering Technology System, Milan, Italy	1	Temporospatial data collection
BTS SMART-Clinic software	Bioengineering Technology System, Milan, Italy	2	Data processing
SPSS software (version 25.0)	IBM Corp., Armonk, NY, USA		Statistical analysis