

Materials List for:

Intrauterine Telemetry to Measure Mouse Contractile Pressure *In Vivo*

Cara C. Rada¹, Stephanie L. Pierce², Chad A. Grotegut², Sarah K. England¹

¹Department of Obstetrics and Gynecology, Washington University in St. Louis

²Department of Obstetrics and Gynecology, Duke University

Correspondence to: Sarah K. England at englands@wudosis.wustl.edu

URL: <https://www.jove.com/video/52541>

DOI: [doi:10.3791/52541](https://doi.org/10.3791/52541)

Materials

Name	Company	Catalog Number	Comments
Surgical Glue	3M Vetbond	1469SB	Tissue Adhesive--stored in Drierite
Absorbable 6-0 Sutures	Ethicon	J212H	Vicryl
Non-absorbable 6-0 Sutures	Ethicon	8706H	Prolene
Water Jacket Blanket + Heating Pad	Gaymer	T/Pump PN 11184-000 Blanket-66N111CC	Specialized for rodents
Bead sterilizer	Keller	Z378577	Steri 250 Sterilizer
Disecting Microscope	Nikon	SMZ754	Fibre optic gooseneck external light source
Sterile Surgical Gloves--Latex	Cardinal Health Triflex	2D7253	
PhysioTel PA-C10 Pressure Transmitter	Data Sciences International	270-0135-001	TA11PA-C10
Telemeter Reciever	Data Sciences International	272-6001-001	RPC-1
Dataquest ART 4.3.2 Analysis Platinum	Data Sciences International	271-0147-141	Analysis software
Diet Recovery Gel	Clear H2O	72-01-5022	Purified Soft Diet for Rodents
Tergazyme	Sigma-Aldrich	Z273287	Enzyme detergent