Materials List for:

Induction and Micro-CT Imaging of Cerebral Cavernous Malformations in Mouse Model

Jaesung P. Choi^{1,2}, Xi Yang³, Matthew Foley⁴, Xian Wang¹, Xiangjian Zheng^{1,2,3}

Correspondence to: Xiangjian Zheng at x.zheng@centenary.org.au

URL: https://www.jove.com/video/56476

DOI: doi:10.3791/56476

Materials

Name	Company	Catalog Number	Comments
4-hydroxy tamoxifen	Sigma-Aldrich	H6278	To activate Cdh5-CreErt2
Corn oil	Sigma-Aldrich	C8267-500ML	To dilute 4-hydroxy tamoxifen
Stereomicroscope	Leica	M205FA	To take macroscopic images
Lugol's lodine solution	Sigma-Aldrich	L6146	To stain samples for contrast micro-CT
Plastic paraffin film	Parafilm	PM992	To package samples
Micro-CT	Xradia	MicroXCT-400	Micro-CT
3D rendering software	FEI Visualization Science group	Avizo 3D image processing software	To analyse micro-CT scans

¹Lab of Cardiovascular Signaling, Centenary Institute

²Faculty of Medicine, Sydney Medical School, University of Sydney

³Department of Pharmacology, School of Basic Medical Sciences, Tianjin Medical University

⁴Australian Centre for Microscopy & Microanalysis, University of Sydney