

Materials List for

Analysis of SEC-SAXS data via EFA deconvolution and Scatter

Mark D Tully^{*1}, Nicolas Tarbouriech², Robert P Rambo³, Stephanie Hutin^{*4}

¹European Synchrotron Radiation Facility Structural Biology Group, Structural Biology Group ²Institut de Biologie Structurale, University Grenoble Alpes, CEA, CNRS ³Diamond Light Source ⁴Laboratoire de Physiologie Cellulaire et Végétale, Université Grenoble Alpes/CNRS/CEA/INRA/BIG

* These authors contributed equally

Corresponding Author

Stephanie Hutin

stephanie.hutin@cea.fr

Citation

Tully, M.D., Tarbouriech, N., Rambo, R.P., Hutin, S. Analysis of SEC-SAXS data via EFA deconvolution and Scatter. *J. Vis. Exp.* (), e61578, doi:10.3791/61578 (2021).

Date Published

January 28, 2021

DOI

10.3791/61578

URL

jove.com/video/61578

Materials

Name	Company	Catalog Number	Comments
Beamline control software BsXCuBE	ESRF	Pernot et al. (2013). J. Synchrotron Rad. 20, 660-664	local development
BioXTAS Raw 1.2.3.	MacCHESS	http://bioxtas-raw.readthedocs.io/en/latest/index.html	First developed in 2008 by Soren Skou as part of the biological x-ray total analysis system (BioXTAS) project. Since then it has been extensively developed, with recent work being done by Jesse B. Hopkins
HPLC program LabSolutions	Shimadzu	n.a.	
ISPyB	ESRF	De Maria Antolini et al. (2015). Acta Cryst. D71, 76-85.	local development
NaCl	VWR Chemicals (BDH Prolabo)	27808.297	
Scatter	Diamond Light Source Ltd	http://www.bioisis.net/tutorial/9	Supported by SIBYLS beamline (ALS berkeley, Ca) and Bruker Cororation (Karlsruhe, Germany)
Superdex 200 Increase 5/150 GL column	GE Healthcare	28990945	SEC-SAXS column used
Tris base	Euromedex	26-128-3094-B	